VOL. 591, NOS. 1+2 JOURNAL OF CHROMATOGRAPHY FEBRUARY 7, 1992

CONTENTS

(Abstracts/Contents Lists published in Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Current Contents/Life Sciences, Current Contents/Physical, Chemical & Earth Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CRNS, Referativnyi Zhurnal, Research Alert and Science Citation Index)

REGULAR PAPERS

General

Comparison of statistical theories of spot overlap in two-dimensional separations and verification of means for estimating the number of zones
by F. J. Oros and J. M. Davis (Carbondale, IL, USA) (Received July 29th, 1991) 1

Improved algorithm for resolution of overlapped asymmetric chromatographic peaks
by D. Y. Youn, S. J. Yun and K.-H. Jung (Seoul, South Korea) (Received September 23rd, 1991) 19

Column Liquid Chromatography

Optimization of the experimental conditions and the column design parameters in overloaded elution chromatography
by A. Felinger and G. Guiochon (Knoxville and Oak Ridge, TN, USA) (Received October 7th, 1991) 31

Peak capacity of columns for size-exclusion chromatography
by L. Hagel (Uppsala, Sweden) (Received October 4th, 1991) 47

Retention processes on α_1-acid glycoprotein-bonded stationary phase
by E. Arvidsson and S. O. Jansson (Mölndal, Sweden) and G. Schill (Uppsala, Sweden) (Received October 16th, 1991) 55

Direct liquid chromatographic separation of enantiomers on immobilized protein stationary phases. IX. Influence of the cross-linking reagent on the retentive and enantioselective properties of chiral sorbents based on bovine serum albumin
by S. Andersson (Linköping, Sweden) and R. A. Thompson and S. G. Allenmark (Gothenburg, Sweden) (Received October 8th, 1991) 65

Physico-chemical properties of electron-acceptor stationary phases in liquid chromatography
by K. J. Welch and N. E. Hoffman (Milwaukee, WI, USA) (Received September 24th, 1991) 75

Chromatography on Poly-RP and its cyano and diol derivatives using both polar and non-polar solvent systems
by J. J. Jagodzinski, G. T. Marshall, B. J. Poulsen, G. Raza and W. A. Rolls (Mountain View, CA, USA) (Received September 24th, 1991) 89

Oriented immobilization of peptide ligands on solid supports
by G. Fassina (Milan, Italy) (Received October 2nd, 1991) 99

Surface-modified membranes as a matrix for protein purification
by P. Langlotz and K. H. Kroner (Braunschweig, Germany) (Received October 11th, 1991) 107

Diffusion of proteins in Sepharose Cl-B gels
by M. Moussaoui, M. Benlyas and P. Wahl (Orléans, France) (Received October 8th, 1991) 115

Analysis of pH-dependent protein interactions with gel filtration medium
by N. P. Golovchenko, I. A. Kataeva and V. K. Akimenko (Pushchino, USSR) (Received October 4th, 1991) 121

Limits and effects of precolumn addition of thioglycerol in liquid chromatographic–fast atom bombardment mass spectrometric systems
by A. Carrier, J.-P. Gagné and M. J. Bertrand (Montreal, Canada) (Received September 12th, 1991) 129

Interfacing gradient elution ion-exchange chromatography and low-angle laser light-scattering photometry for analysis of proteins
by R. M. Mhatre and I. S. Krull (Boston, MA, USA) (Received October 8th, 1991) 139

Comparison of ethoxylated alcohols and polyethylene glycols by high-performance liquid chromatography and supercritical fluid chromatography using evaporative light-scattering detection
by S. Brossard, M. Lafosse and M. Dreux (Orléans, France) (Received October 4th, 1991) 149

(Continued overleaf)

Contents (continued)

3-Bromomethyl-7-methoxy-1,4-benzoxazin-2-one as a highly sensitive fluorescence derivatization reagent for carboxylic acids in high-performance liquid chromatography
by A. Nakanishi, H. Naganuma, J. Kondo, K. Watanabe, K. Hirano, T. Kawasaki and Y. Kawahara (Tokyo, Japan) (Received September 20th, 1991) 159

Determination of organic acids, amino acids and saccharides by high-performance liquid chromatography and a postcolumn enzyme reactor with amperometric detection
by R. Mögele, B. Pabel and R. Galensa (Braunschweig, Germany) (Received October 2nd, 1991) 165

Improvement of extraction procedure for biogenic amines in foods and their high-performance liquid chromatographic determination
by S. Moret and R. Bortolomeazzi (Udine, Italy) and G. Lercker (Florence, Italy) (Received September 27th, 1991) . 175

Amino acid analysis by high-performance liquid chromatography after derivatization with diethyl ethoxymethylenemalonate
by M. Alaiz, J. L. Navarro, J. Girón and E. Vioque (Seville, Spain) (Received September 20th, 1991) 181

Rapid isolation of human complement component C9 to verify the specificity of a haemolytic C9 microassay
by H. J. Bootsma, C. W. van den Berg and H. van Dijk (Utrecht, Netherlands) (Received October 4th, 1991) 187

Determination of aminoglycoside antibiotics by reversed-phase ion-pair high-performance liquid chromatography coupled with pulsed amperometry and ion spray mass spectrometry
by L. G. McLaughlin and J. D. Henion (Ithaca, NY, USA) (Received September 3rd, 1991) 195

Optimization of a peak compression system for a remoxipride metabolite (FLA797) and its application to bioanalysis
by L. B. Nilsson (Södertälje, Sweden) (Received September 18th, 1991) 207

UV spectrophotometric detection in the ion chromatographic analysis of alkali and alkaline earth metal and ammonium cations
by P. Pastore, A. Boaretto and I. Lavagnini (Padova, Italy) and A. Diop (Dakar, Sénègal) (Received October 10th, 1991) 219

High-performance liquid chromatographic–mass spectrometric analysis of oligosaccharides from enzymatic digestion of glycosaminoglycans. Application to human samples
by L. Silvestro and I. Viano (Turin, Italy), A. Naggi and G. Torri (Milan, Italy) and R. Da Col and C. Baiocchi (Turin, Italy) (Received October 24th, 1991) 225

Gas Chromatography

Experimental determination of adsorption isotherm data for the study of the surface energy distribution of various solid surfaces by inverse gas–solid chromatography
by J. Roles and G. Guiochon (Knoxville and Oak Ridge, TN, USA) (Received September 30th, 1991) 233

Precision and accuracy of the gas–solid adsorption isotherms derived by the elution-by-characteristic-points method
by J. Roles and G. Guiochon (Knoxville and Oak Ridge, TN, USA) (Received September 30th, 1991) 245

Validity of the model used to relate the energy distribution and the adsorption isotherm
by J. Roles and G. Guiochon (Knoxville and Oak Ridge, TN, USA) (Received September 30th, 1991) 267

Theory of linear non-equilibrium chromatography with beds of a finite length
by J. Stárek (Prague, Czechoslovakia) (Received October 15th, 1991) 273

Polynuclear aromatic hydrocarbon retention indices on SE-54 stationary phase of the volatile components of a coal tar pitch. Relationships between chromatographic retention and thermal reactivity
by M. D. Guillén, M. J. Iglesias, A. Dominguez and C. G. Blanco (Oviedo, Spain) (Received September 27th, 1991) . 287

Gas chromatography of Titan's atmosphere. III. Analysis of low-molecular-weight hydrocarbons and nitriles with a CP-Sil-5 CB WCOT capillary column
by L. Do and F. Raulin (Creteil, France) (Received September 27th, 1991) 297

Comparative study of clean-up and fractionation methods for the determination of organochlorine pesticides in lipids by gas chromatography
by J. E. Quintanilla-López, R. Lebrón-Aguilar and L. M. Polo-Díez (Madrid, Spain) (Received September 26th, 1991) 303

Comparison of commercially available atomic emission and chemiluminescence detectors for sulfur-selective gas chromatographic detection
by S. E. Eckert-Tilotta, S. B. Hawthorne and D. J. Miller (Grand Forks, ND, USA) (Received August 13th, 1991) . . 313

Electrophoresis

Comparison of liquid-junction and coaxial interfaces for capillary electrophoresis–mass spectrometry with application to compounds of concern to the aquaculture industry
by S. Pleasance, P. Thibault and J. Kelly (Nova Scotia, Canada) (Received October 12th, 1991) 325

Analyte focusing in capillary electrophoresis using on-line isotachophoresis
by D. S. Stegehuis, U. R. Tjaden and J. van der Greef (Leiden, Netherlands) (Received October 21st, 1991) 341

Thin-layer electrophoresis of hydroxyethyl starches on a modified silica gel support
by D. Haidacher and G. K. Bonn (Innsbruck, Austria), H. Scherz (Garching, Germany) and E. Nitsch and R. Wutka (Linz, Austria) (Received October 7th, 1991) 351

SHORT COMMUNICATIONS

Gas Chromatography

Photoionization assessment of C_3–C_5 alkadienes and alkenes in urban air
by L. Löfgren and G. Petersson (Gothenburg, Sweden) (Received October 28th, 1991) 358

Decomposition of two methylbenzothiophene sulphoxides in a commercial gas chromatography injection port liner
by P. M. Fedorak (Edmonton, Canada) and J. T. Andersson (Ulm, Germany) (Received November 1st, 1991) 362

Planar Chromatography

R_M values of some colchicines and colchiceinamides determined by reversed-phase thin-layer chromatography
by D. Glavač (Ljubljana, Yugoslavia) (Received October 10th, 1991) 367

Author Index 371

In articles with more than one author, the name of the author to whom correspondence should be addressed is indicated in the article heading by a 6-pointed asterisk (*).